

LISTE FAZA II - 26.07.2024

TABEL NOMINAL CU CANDIDATII ADMISI PE LOCURI BUGETATE  
INGINERIA SISTEMELOR DE ENERGII REGENERABILE

| Nr | Legitim.  | Optiuni                                                                   | Note                                       | Medie | Admis la | Obs. | S |
|----|-----------|---------------------------------------------------------------------------|--------------------------------------------|-------|----------|------|---|
| 1  | DPM000503 | ISER,MT,IMED,DI,IPMI                                                      | MBAC=9.20,NBAC1=10.00,NBAC2=9.30,MASL=8.83 | 9.20  | ISER     |      | 1 |
| 2  | DPM000037 | ISER,DI,IPMI,\$ISER,\$DI,\$IPMI                                           | MBAC=9.10,NBAC1=9.20,NBAC2=9.15,MASL=9.33  | 9.10  | ISER     |      | 1 |
| 3  | DPM000033 | ISER,\$ISER,MT,IMED,\$MT,\$IMED                                           | MBAC=9.05,NBAC1=9.50,NBAC2=9.15,MASL=9.50  | 9.05  | ISER     |      | 1 |
| 4  | DPM000167 | ISER,IPMI,DI,\$ISER,\$IPMI,\$DI                                           | MBAC=9.03,NBAC1=9.90,NBAC2=9.35,MASL=9.56  | 9.03  | ISER     |      | 1 |
| 5  | DPM000242 | ISER,IMED,DI                                                              | MBAC=8.93,NBAC1=9.45,NBAC2=8.70,MASL=8.79  | 8.93  | ISER     |      | 1 |
| 6  | DPM000210 | ISER,\$ISER                                                               | MBAC=8.86,NBAC1=9.30,NBAC2=9.20,MASL=9.29  | 8.86  | ISER     |      | 1 |
| 7  | DPM000172 | ISER,IMED,OPTO,IPMI,\$ISER                                                | MBAC=8.78,NBAC1=9.45,NBAC2=8.50,MASL=9.05  | 8.78  | ISER     |      | 1 |
| 8  | DPM000336 | ISER,IMED                                                                 | MBAC=8.71,NBAC1=9.30,NBAC2=8.70,MASL=8.41  | 8.71  | ISER     |      | 1 |
| 9  | DPM000101 | ISER,DI,IMED,IPMI,\$ISER,DIE,\$DIE                                        | MBAC=8.68,NBAC1=9.15,NBAC2=8.45,MASL=8.88  | 8.68  | ISER     |      | 1 |
| 10 | DPM000432 | ISER,MT,IMED,IPMI                                                         | MBAC=8.46,NBAC1=8.70,NBAC2=8.40,MASL=8.65  | 8.46  | ISER     |      | 1 |
| 11 | DPM000406 | ISER,IMED,OPTO,\$ISER,\$IMED,\$OPTO                                       | MBAC=8.33,NBAC1=9.05,NBAC2=8.70,MASL=8.58  | 8.33  | ISER     |      | 1 |
| 12 | DPM000289 | ISER,IMED,IPMI,MT                                                         | MBAC=8.32,NBAC1=9.20,NBAC2=8.95,MASL=8.77  | 8.32  | ISER     |      | 1 |
| 13 | DPM000278 | ISER,DIE,DI,OPTO,IPMI,IMED,MT                                             | MBAC=8.30,NBAC1=9.90,NBAC2=8.80,MASL=8.95  | 8.30  | ISER     |      | 1 |
| 14 | DPM000385 | ISER,IMED,OPTO,MT                                                         | MBAC=8.30,NBAC1=9.70,NBAC2=8.30,MASL=8.81  | 8.30  | ISER     |      | 1 |
| 15 | DPM000472 | ISER                                                                      | MBAC=8.28,NBAC1=8.85,NBAC2=8.15,MASL=7.46  | 8.28  | ISER     |      | 1 |
| 16 | DPM000298 | ISER,IPMI,MT,DIE,DI,OPTO,IMED                                             | MBAC=8.21,NBAC1=9.05,NBAC2=8.70,MASL=8.53  | 8.21  | ISER     |      | 1 |
| 17 | DPM209021 | ISER,ISER-MR,IMED,IMED-MR,IPMI,IPMI-MR                                    | MBAC=8.18,NBAC1=8.45,NBAC2=8.35,MASL=9.22  | 8.18  | ISER     | MR   | 1 |
| 18 | DPM000174 | ISER,IPMI,DI,MT,DIE,IMED,OPTO,\$ISER,\$IPMI,\$DI,\$MT,\$DIE,\$IMED,\$OPTO | MBAC=8.03,NBAC1=8.30,NBAC2=8.05,MASL=8.26  | 8.03  | ISER     |      | 1 |
| 19 | DPM000552 | ISER,IMED,MT,\$IMED,\$ISER,\$MT                                           | MBAC=7.81,NBAC1=9.15,NBAC2=7.25,MASL=9.30  | 7.81  | ISER     |      | 1 |
| 20 | DPM000428 | ISER,IMED                                                                 | MBAC=7.81,NBAC1=8.65,NBAC2=8.35,MASL=8.07  | 7.81  | ISER     |      | 1 |
| 21 | DPM000314 | ISER,\$ISER,DI,\$DI,IPMI,\$IPMI                                           | MBAC=7.75,NBAC1=8.00,NBAC2=8.00,MASL=8.55  | 7.75  | ISER     |      | 1 |
| 22 | DPM000578 | ISER,DI                                                                   | MBAC=7.68,NBAC1=8.10,NBAC2=7.90,MASL=8.30  | 7.68  | ISER     |      | 1 |
| 23 | DPM000055 | ISER,IMED,OPTO,MT                                                         | MBAC=7.66,NBAC1=8.70,NBAC2=7.60,MASL=8.40  | 7.66  | ISER     |      | 1 |
| 24 | DPM000370 | ISER,IMED,IPMI                                                            | MBAC=7.65,NBAC1=8.00,NBAC2=7.50,MASL=8.41  | 7.65  | ISER     |      | 1 |
| 25 | DPM000186 | ISER,DI,IPMI,OPTO,IMED                                                    | MBAC=7.53,NBAC1=8.40,NBAC2=7.70,MASL=8.97  | 7.53  | ISER     |      | 1 |
| 26 | DPM000507 | ISER,IPMI,\$ISER,\$IPMI,DI,\$DI                                           | MBAC=7.23,NBAC1=8.70,NBAC2=6.60,MASL=7.50  | 7.23  | ISER     |      | 1 |
| 27 | DPM000011 | ISER,\$ISER                                                               | MBAC=7.15,NBAC1=7.45,NBAC2=5.25,MASL=7.30  | 7.15  | ISER     |      | 1 |
| 28 | DPM000243 | ISER,\$ISER,IPMI,\$IPMI,DI,\$DI,DIE,\$DIE                                 | MBAC=7.13,NBAC1=9.45,NBAC2=6.25,MASL=8.39  | 7.13  | ISER     |      | 1 |
| 29 | DPM000512 | ISER,\$ISER,IMED,DI,DIE,\$IMED,\$DI,\$DIE                                 | MBAC=7.01,NBAC1=7.40,NBAC2=7.15,MASL=7.59  | 7.01  | ISER     |      | 1 |
| 30 | DPM000259 | ISER,IMED,OPTO,\$ISER,\$IMED,\$OPTO                                       | MBAC=6.98,NBAC1=7.25,NBAC2=7.25,MASL=7.39  | 6.98  | ISER     |      | 1 |
| 31 | DPM000311 | ISER,\$ISER,IMED,\$IMED                                                   | MBAC=6.76,NBAC1=7.70,NBAC2=7.40,MASL=7.82  | 6.76  | ISER     |      | 1 |

PRESEDINTE COMISIE DE ADMITERE PE UNIVERSITATE,  
PROF.DR.ING. IOAN VASILE ABRUDAN

SECRETAR COMISIE DE ADMITERE PE UNIVERSITATE,  
PROF. DR. ING. MARIUS CRISTIAN LUCULESCU

PRESEDINTE COMISIE DE ADMITERE FACULTATE,  
PROF. DR. ING. CODRUȚA JALIU

SECRETAR COMISIE DE ADMITERE FACULTATE,  
PROF. DR. ING. DANIELA MARIANA BARBU