

| TABEL NOMINAL CU TOTI CANDIDATII SPECIALI |           |                                                                                  |                                             |       |          |       |   |
|-------------------------------------------|-----------|----------------------------------------------------------------------------------|---------------------------------------------|-------|----------|-------|---|
| Nr                                        | Legitim.  | Optiuni                                                                          | Note                                        | Medie | Admis la | Obs.  | S |
| 1                                         | DPM209012 | IPMI                                                                             |                                             |       | IPMI     | OL    |   |
| 2                                         | DPM209023 | \$DIE,\$DI                                                                       | MBAC=9.10,NBAC1=9.00,NBAC2=9.00,MASL=8.90   | 9.10  | \$DIE    | RX    | 1 |
| 3                                         | DPM209013 | IMED,\$IMED,ISER,DI,\$IPMI                                                       | MBAC=8.98,NBAC1=9.30,NBAC2=8.90,MASL=9.58   | 8.98  | IMED     | DZ    | 1 |
| 4                                         | DPM209006 | \$DI,\$DIE                                                                       | MBAC=8.75,NBAC1=10.00,NBAC2=10.00,MASL=8.27 | 8.75  |          | RX    | 1 |
| 5                                         | DPM209021 | ISER,ISER-MR,IMED,IMED-MR,IPMI,IPMI-MR                                           | MBAC=8.18,NBAC1=8.45,NBAC2=8.35,MASL=9.22   | 8.18  | ISER     | MR    | 1 |
| 6                                         | DPM209011 | IMED-MR,IMED,\$IMED,OPTO-MR,OPTO,\$OPTO                                          | MBAC=7.96,NBAC1=8.20,NBAC2=8.15,MASL=9.05   | 7.96  | IMED-MR  | MR    | 1 |
| 7                                         | DPM209004 | \$MT,MT,\$OPTO,OPTO                                                              | MBAC=7.86,NBAC1=8.05,NBAC2=8.05,MASL=9.10   | 7.86  |          | DZ    | 1 |
| 8                                         | DPM209005 | DI,\$DI,OPTO,\$OPTO,IPMI,ISER                                                    | MBAC=7.51,NBAC1=7.95,NBAC2=7.65,MASL=8.98   | 7.51  |          | DZ    | 1 |
| 9                                         | DPM209020 | OPTO-MR,OPTO,\$OPTO,IPMI-MR,IPMI,DI-MR,DI                                        | MBAC=7.48,NBAC1=8.70,NBAC2=8.15,MASL=8.84   | 7.48  | OPTO-MR  | MR    | 1 |
| 10                                        | DPM209002 | DI,IMED,\$DI,\$IMED,ISER-DZ,ISER,IPMI,OPTO,MT                                    | MBAC=7.43,NBAC1=8.80,NBAC2=7.05,MASL=6.61   | 7.43  |          | DZ    | 1 |
| 11                                        | DPM209008 | DI-MR,IPMI-MR,IMED-MR,ISER-MR,OPTO-MR,MT-MR,DI,ISER,IPMI,OPTO,IMED,MT,\$DI,\$I   | MBAC=7.40,NBAC1=8.95,NBAC2=7.00,MASL=8.28   | 7.40  | DI-MR    | MR    | 1 |
| 12                                        | DPM209018 | DI-MR,DI,IPMI-MR,MT-MR,MT,IMED-MR,IMED,ISER-MR,DIE,IPMI,OPTO-MR,ISER             | MBAC=7.25,NBAC1=7.65,NBAC2=7.15,MASL=8.93   | 7.25  |          | MR    | 1 |
| 13                                        | DPM000440 | DIE,\$DIE,DI-MR,DI,\$DI,ISER-MR,ISER,\$ISER,IPMI-MR,MT-MR,IMED-MR,OPTO-MR,\$IMED | MBAC=7.13,NBAC1=7.65,NBAC2=6.95,MASL=8.84   | 7.13  | DIE      | MR    | 1 |
| 14                                        | DPM209019 | \$DI,\$ISER,\$IMED,\$IPMI,\$OPTO,\$MT,\$DIE                                      | MBAC=6.93,NBAC1=9.15,NBAC2=6.30,MASL=7.75   | 6.93  |          | RX    | 1 |
| 15                                        | DPM209001 | \$DI,\$DIE,\$ISER,\$IPMI,\$MT,\$IMED,\$OPTO                                      | MBAC=6.83,NBAC1=7.90,NBAC2=6.90,MASL=9.40   | 6.83  | \$DI     | MR    | 1 |
| 16                                        | DPM209010 | OPTO,IMED,\$OPTO,\$IMED                                                          | MBAC=6.78,NBAC1=8.05,NBAC2=6.80,MASL=8.94   | 6.78  | OPTO     | RR    | 1 |
| 17                                        | DPM209007 | MT,\$MT,ISER-DZ,ISER,\$ISER                                                      | MBAC=6.76,NBAC1=8.05,NBAC2=6.40,MASL=8.94   | 6.76  | MT       | DZ    | 1 |
| 18                                        | DPM209017 | \$DI,\$ISER                                                                      | MBAC=6.50,NBAC1=7.00,NBAC2=7.00,MASL=6.67   | 6.50  |          | RX    | 1 |
| 19                                        | DPM209009 | OPTO,DI,ISER-DZ,IPMI                                                             | MBAC=6.45,NBAC1=7.50,NBAC2=6.55,MASL=8.37   | 6.45  | ISER-DZ  | DZ    | 1 |
| 20                                        | DPM209003 | DI,ISER-DZ,ISER,IPMI,IMED,OPTO,MT,\$DI,\$ISER,\$IMED,\$OPTO,\$MT                 | MBAC=6.43,NBAC1=6.65,NBAC2=6.55,MASL=8.57   | 6.43  |          | DZ    | 1 |
| 21                                        | DPM209016 | IMED,IMED-MR,OPTO-MR,OPTO,IPMI,DI,DI-MR,ISER                                     | MBAC=6.36,NBAC1=6.95,NBAC2=6.55,MASL=9.06   | 6.36  |          | MR    | 1 |
| 22                                        | DPM209024 | DI-MR,DI,IMED-MR,OPTO-MR,IMED,OPTO,IPMI,ISER,ISER-MR,\$DI,\$IMED,ISER-DZ         | MBAC=6.21,NBAC1=7.05,NBAC2=6.60,MASL=6.73   | 6.21  | ISER-MR  | DZ,MR | 1 |
| 23                                        | DPM209014 | OPTO-MR,IMED-MR,IPMI-MR,DI-MR,OPTO,\$OPTO,IPMI,\$IPMI,DI,\$DI                    | MBAC=6.16,NBAC1=7.15,NBAC2=6.15,MASL=8.93   | 6.16  | IPMI-MR  | MR    | 1 |
| 24                                        | DPM209022 | IMED-MR,IPMI-MR,DI-MR,OPTO-MR,ISER-MR,IMED,IPMI,DI,OPTO,ISER,\$IMED,\$IPMI,\$DI  | MBAC=6.08,NBAC1=7.40,NBAC2=5.50,MASL=8.34   | 6.08  |          | MR    | 1 |
| 25                                        | DPM209015 | IMED-MR,IMED,\$IMED,ISER,ISER-MR,DI-MR,DI,IPMI-MR,IPMI,OPTO-MR,OPTO,\$ISER,\$DI  | MBAC=6.03,NBAC1=6.50,NBAC2=6.20,MASL=7.48   | 6.03  |          | MR    | 1 |

PRESEDINTE COMISIE DE ADMITERE PE UNIVERSITATE,  
PROF.DR.ING. IOAN VASILE ABRUDAN

SECRETAR COMISIE DE ADMITERE PE UNIVERSITATE,  
PROF. DR. ING. MARIUS CRISTIAN LUCULESCU

PRESEDINTE COMISIE DE ADMITERE FACULTATE,  
PROF. DR. ING. CODRUȚA JALIU

SECRETAR COMISIE DE ADMITERE FACULTATE,  
PROF. DR. ING. DANIELA MARIANA BARBU