

CANDIDATI RESPINSI DATORITA MEDIEI DE ADMITERE SAU ELIMINARII DIN LISTE DATORITA NECONFIRMARII LOCULUI - TOATE PROGRAMELE DE LICENTA

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
1	DPM000462	DIE	MBAC=10.00,NBAC1=10.00,NBAC2=10.00,MASL=10.00	10.00			1
2	DPM000395	IMED,\$IMED,DI,\$DI	MBAC=9.81,NBAC1=9.95,NBAC2=9.75,MASL=9.91	9.81			1
3	DPM000006	IMED,\$IMED	MBAC=9.76,NBAC1=10.00,NBAC2=9.70,MASL=9.89	9.76			1
4	DPM000375	IMED,\$IMED	MBAC=9.71,NBAC1=10.00,NBAC2=9.75,MASL=9.87	9.71			1
5	DPM000206	IMED,\$IMED	MBAC=9.66,NBAC1=9.90,NBAC2=9.85,MASL=9.77	9.66			1
6	DPM000077	DI,IMED,OPTO	MBAC=9.65,NBAC1=10.00,NBAC2=9.65,MASL=9.76	9.65			1
7	DPM000509	IMED,\$IMED,OPTO,\$OPTO,ISER,DI,MT	MBAC=9.60,NBAC1=9.90,NBAC2=9.85,MASL=9.63	9.60			1
8	DPM000540	OPTO,\$OPTO,IPMI,\$IPMI,ISER,\$ISER,IMED,\$IMED,MT,\$MT,DI,\$DI,DIE,\$DIE	MBAC=9.58,NBAC1=10.00,NBAC2=9.50,MASL=9.52	9.58			1
9	DPM000042	ISER,\$ISER	MBAC=9.58,NBAC1=9.85,NBAC2=9.45,MASL=9.09	9.58			1
10	DPM000218	MT,ISER	MBAC=9.56,NBAC1=9.70,NBAC2=9.55,MASL=9.74	9.56			1
11	DPM000065	\$IMED,IMED	MBAC=9.55,NBAC1=10.00,NBAC2=9.50,MASL=9.83	9.55			1
12	DPM000184	OPTO,\$OPTO,IMED	MBAC=9.55,NBAC1=9.70,NBAC2=9.50,MASL=9.41	9.55			1
13	DPM000268	IMED,\$IMED	MBAC=9.50,NBAC1=9.75,NBAC2=9.50,MASL=9.32	9.50			1
14	DPM000185	DI,DIE,\$DI,\$DIE	MBAC=9.50,NBAC1=9.65,NBAC2=9.60,MASL=9.89	9.50			1
15	DPM000585	IMED,\$IMED,OPTO,\$OPTO,ISER,IPMI,DI,MT,DIE,\$DI,\$DIE,\$ISER,\$IPMI,\$MT	MBAC=9.48,NBAC1=9.60,NBAC2=9.60,MASL=9.43	9.48			1
16	DPM000175	DI	MBAC=9.45,NBAC1=9.90,NBAC2=9.75,MASL=9.52	9.45			1
17	DPM000182	IMED,\$IMED,ISER,MT,IPMI	MBAC=9.45,NBAC1=9.90,NBAC2=9.30,MASL=9.47	9.45			1
18	DPM000538	DI,DIE,MT,\$DI,\$MT,IMED,ISER,IPMI	MBAC=9.43,NBAC1=10.00,NBAC2=9.20,MASL=9.83	9.43			1
19	DPM000152	IPMI,IMED,OPTO	MBAC=9.43,NBAC1=9.75,NBAC2=9.50,MASL=9.39	9.43			1
20	DPM000500	IMED,\$IMED,MT,\$MT	MBAC=9.43,NBAC1=9.65,NBAC2=9.35,MASL=9.45	9.43			1
21	DPM000257	IMED,OPTO,\$IMED	MBAC=9.43,NBAC1=9.55,NBAC2=9.40,MASL=9.47	9.43			1
22	DPM000580	IMED,OPTO	MBAC=9.43,NBAC1=9.50,NBAC2=9.50,MASL=9.61	9.43			1
23	DPM000207	IMED,\$IMED	MBAC=9.43,NBAC1=9.50,NBAC2=9.45,MASL=9.61	9.43			1
24	DPM000046	IMED,OPTO	MBAC=9.40,NBAC1=9.80,NBAC2=9.60,MASL=9.69	9.40			1
25	DPM000318	IMED,DI	MBAC=9.36,NBAC1=9.80,NBAC2=9.25,MASL=9.58	9.36			1
26	DPM000276	IMED,IPMI	MBAC=9.36,NBAC1=9.65,NBAC2=9.35,MASL=8.79	9.36			1
27	DPM000480	MT,IMED,ISER	MBAC=9.35,NBAC1=9.85,NBAC2=9.20,MASL=9.53	9.35			1
28	DPM000204	DI,\$DI	MBAC=9.35,NBAC1=9.70,NBAC2=9.50,MASL=8.14	9.35			1
29	DPM000367	IMED,OPTO	MBAC=9.33,NBAC1=9.50,NBAC2=9.50,MASL=9.40	9.33			1
30	DPM000409	IMED,OPTO,DI,IPMI,ISER	MBAC=9.31,NBAC1=9.85,NBAC2=9.35,MASL=9.22	9.31			1
31	DPM000561	IPMI,IMED,ISER	MBAC=9.31,NBAC1=9.65,NBAC2=9.30,MASL=9.61	9.31			1
32	DPM000353	IMED,DI,OPTO,ISER	MBAC=9.31,NBAC1=9.50,NBAC2=9.35,MASL=9.90	9.31			1
33	DPM000584	OPTO	MBAC=9.30,NBAC1=9.85,NBAC2=9.15,MASL=9.48	9.30			1
34	DPM000057	DIE,DI,IMED	MBAC=9.30,NBAC1=9.65,NBAC2=9.45,MASL=9.50	9.30			1
35	DPM000001	OPTO,\$OPTO,IMED,\$IMED	MBAC=9.28,NBAC1=9.90,NBAC2=9.40,MASL=9.76	9.28			1
36	DPM000484	IMED	MBAC=9.25,NBAC1=10.00,NBAC2=9.45,MASL=9.58	9.25			1
37	DPM000525	IMED,ISER,OPTO,DI	MBAC=9.23,NBAC1=9.80,NBAC2=9.20,MASL=9.61	9.23			1
38	DPM000248	IMED,OPTO	MBAC=9.23,NBAC1=9.55,NBAC2=9.10,MASL=9.47	9.23			1
39	DPM000303	IMED	MBAC=9.21,NBAC1=9.55,NBAC2=9.25,MASL=9.26	9.21			1
40	DPM000357	DI,\$DI,ISER,IPMI	MBAC=9.20,NBAC1=9.55,NBAC2=9.10,MASL=9.27	9.20			1
41	DPM000122	ISER,IMED,MT,OPTO	MBAC=9.18,NBAC1=9.40,NBAC2=9.20,MASL=9.60	9.18			1
42	DPM000260	DIE,DI	MBAC=9.18,NBAC1=9.40,NBAC2=9.20,MASL=9.16	9.18			1
43	DPM000441	DI,DIE,\$DI,\$DIE	MBAC=9.18,NBAC1=9.35,NBAC2=9.20,MASL=9.21	9.18			1
44	DPM000265	DI,DIE,\$DI,\$DIE	MBAC=9.16,NBAC1=9.80,NBAC2=9.75,MASL=9.83	9.16			1
45	DPM000356	IMED,\$IMED,MT,\$MT,OPTO,\$OPTO	MBAC=9.16,NBAC1=9.70,NBAC2=9.30,MASL=9.41	9.16			1
46	DPM000229	IMED,\$IMED,OPTO,\$OPTO,MT,\$MT	MBAC=9.16,NBAC1=9.40,NBAC2=9.10,MASL=9.41	9.16			1
47	DPM000350	MT,\$MT	MBAC=9.15,NBAC1=9.75,NBAC2=8.90,MASL=9.09	9.15			1
48	DPM000282	DIE,DI,\$DIE,\$DI	MBAC=9.15,NBAC1=9.70,NBAC2=9.15,MASL=9.21	9.15			1
49	DPM000255	OPTO,\$OPTO	MBAC=9.15,NBAC1=9.65,NBAC2=9.30,MASL=9.48	9.15			1
50	DPM000343	ISER,IPMI	MBAC=9.15,NBAC1=9.65,NBAC2=9.30,MASL=8.48	9.15			1
51	DPM000153	ISER,IMED,IPMI,DI,MT	MBAC=9.13,NBAC1=9.50,NBAC2=9.35,MASL=9.91	9.13			1
52	DPM000141	IMED,\$IMED,OPTO,\$OPTO	MBAC=9.10,NBAC1=9.75,NBAC2=9.40,MASL=9.40	9.10			1
53	DPM000364	OPTO,\$OPTO,IMED,\$IMED,IPMI,ISER,DI,\$IPMI,\$DI,MT,\$ISER,\$MT	MBAC=9.10,NBAC1=9.25,NBAC2=9.10,MASL=9.51	9.10			1
54	DPM000550	OPTO,\$OPTO	MBAC=9.08,NBAC1=9.55,NBAC2=9.20,MASL=9.76	9.08			1
55	DPM000524	OPTO,IMED,IPMI,DI,ISER,\$OPTO,\$IMED,MT,\$IPMI,\$ISER	MBAC=9.06,NBAC1=9.55,NBAC2=9.00,MASL=9.31	9.06			1
56	DPM000253	DI,\$DI,ISER,\$ISER,DIE,\$DIE,IPMI,\$IPMI,IMED,\$IMED,MT,\$MT,OPTO,\$OPTO	MBAC=9.06,NBAC1=9.30,NBAC2=9.20,MASL=9.69	9.06			1
57	DPM000402	IMED,\$IMED,DIE,\$DIE	MBAC=9.03,NBAC1=9.85,NBAC2=9.00,MASL=9.25	9.03			1
58	DPM000235	ISER,MT,IPMI,\$ISER,\$MT,\$IPMI	MBAC=9.03,NBAC1=9.80,NBAC2=8.90,MASL=9.09	9.03			1
59	DPM000324	IMED,\$IMED,MT,\$MT,OPTO,\$OPTO	MBAC=9.03,NBAC1=9.75,NBAC2=9.40,MASL=9.15	9.03			1
60	DPM000474	IMED,IPMI,DI,OPTO	MBAC=9.01,NBAC1=9.50,NBAC2=9.25,MASL=9.21	9.01			1
61	DPM000237	IMED,OPTO,\$IMED,\$OPTO	MBAC=9.00,NBAC1=9.15,NBAC2=9.00,MASL=9.82	9.00			1
62	DPM000306	DI,IMED,ISER	MBAC=8.98,NBAC1=9.85,NBAC2=9.20,MASL=9.24	8.98			1
63	DPM000226	ISER,\$ISER,MT,\$MT,IMED,\$IMED	MBAC=8.98,NBAC1=9.80,NBAC2=8.60,MASL=7.65	8.98			1
64	DPM000388	DI,\$DI,IPMI,\$IPMI,MT,\$MT	MBAC=8.96,NBAC1=9.95,NBAC2=9.50,MASL=9.54	8.96			1
65	DPM000316	DI,\$DI,IPMI,ISER	MBAC=8.93,NBAC1=9.15,NBAC2=9.15,MASL=9.00	8.93			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
66	DPM000245	IMED, OPTO, \$IMED, \$OPTO, ISER	MBAC=8.91, NBAC1=9.40, NBAC2=9.05, MASL=9.37	8.91			1
67	DPM000511	DI, MT, IMED, ISER, OPTO	MBAC=8.91, NBAC1=9.20, NBAC2=9.00, MASL=8.86	8.91			1
68	DPM000236	OPTO, \$OPTO, DIE, \$DIE	MBAC=8.90, NBAC1=9.25, NBAC2=9.20, MASL=9.39	8.90			1
69	DPM000420	ISER, IMED, IPMI, OPTO, \$ISER	MBAC=8.90, NBAC1=9.10, NBAC2=8.85, MASL=9.27	8.90			1
70	DPM000522	DIE, DI, IMED	MBAC=8.85, NBAC1=9.85, NBAC2=9.00, MASL=9.61	8.85			1
71	DPM000067	IMED, \$IMED, OPTO, \$OPTO	MBAC=8.85, NBAC1=9.35, NBAC2=8.85, MASL=9.65	8.85			1
72	DPM000239	DI, \$DI, IMED, \$IMED, MT, \$MT	MBAC=8.78, NBAC1=9.70, NBAC2=8.80, MASL=9.28	8.78			1
73	DPM000527	MT, \$MT, IMED, \$IMED, ISER, \$ISER	MBAC=8.76, NBAC1=9.45, NBAC2=9.25, MASL=9.60	8.76			1
74	DPM209006	\$DI, \$DIE	MBAC=8.75, NBAC1=10.00, NBAC2=10.00, MASL=8.27	8.75		RX	1
75	DPM000360	MT, \$MT	MBAC=8.75, NBAC1=10.00, NBAC2=9.20, MASL=9.02	8.75			1
76	DPM000564	ISER	MBAC=8.75, NBAC1=10.00, NBAC2=8.75, MASL=9.47	8.75			1
77	DPM000355	MT, \$MT	MBAC=8.73, NBAC1=9.70, NBAC2=9.40, MASL=8.12	8.73			1
78	DPM000170	IMED, \$IMED, DI, DIE, \$DI, \$DIE, OPTO, \$OPTO, MT, \$MT, ISER, IPMI, \$IPMI, \$ISER	MBAC=8.73, NBAC1=9.65, NBAC2=8.40, MASL=9.92	8.73			1
79	DPM000320	IMED, \$IMED, DI, DIE, \$DI, \$DIE, ISER	MBAC=8.71, NBAC1=9.55, NBAC2=8.65, MASL=9.08	8.71			1
80	DPM000396	OPTO, \$OPTO, DI	MBAC=8.71, NBAC1=9.15, NBAC2=8.65, MASL=9.27	8.71			1
81	DPM000321	DI, IPMI, IMED, ISER, \$IMED, \$DI	MBAC=8.70, NBAC1=9.35, NBAC2=8.75, MASL=9.22	8.70			1
82	DPM000205	OPTO, \$OPTO	MBAC=8.68, NBAC1=9.50, NBAC2=9.05, MASL=7.82	8.68			1
83	DPM000407	DI, DIE, \$DI, \$DIE	MBAC=8.66, NBAC1=9.25, NBAC2=8.95, MASL=9.31	8.66			1
84	DPM000100	MT, DI, ISER	MBAC=8.65, NBAC1=9.05, NBAC2=8.60, MASL=9.72	8.65			1
85	DPM000482	DI, DIE, \$DI, \$DIE	MBAC=8.63, NBAC1=9.40, NBAC2=8.95, MASL=8.02	8.63			1
86	DPM000398	DI, DIE	MBAC=8.61, NBAC1=9.70, NBAC2=8.15, MASL=9.74	8.61			1
87	DPM000335	\$MT, \$IMED	MBAC=8.61, NBAC1=9.45, NBAC2=8.25, MASL=8.17	8.61			1
88	DPM000413	\$IMED	MBAC=8.58, NBAC1=9.10, NBAC2=8.90, MASL=8.53	8.58			1
89	DPM000247	IMED, \$IMED, ISER, \$ISER, DI	MBAC=8.56, NBAC1=9.10, NBAC2=8.85, MASL=8.75	8.56			1
90	DPM000166	DI, \$DI, IPMI, OPTO, IMED, ISER, MT	MBAC=8.55, NBAC1=9.35, NBAC2=8.85, MASL=8.30	8.55			1
91	DPM000084	OPTO, \$OPTO, IMED, \$IMED, ISER, DI, MT, IPMI	MBAC=8.51, NBAC1=9.20, NBAC2=8.90, MASL=8.62	8.51			1
92	DPM000537	DIE, \$DIE, DI, \$DI	MBAC=8.47, NBAC1=9.55, NBAC2=9.05, MASL=9.29	8.47			1
93	DPM000346	ISER, \$ISER, IMED, \$IMED	MBAC=8.43, NBAC1=8.65, NBAC2=8.25, MASL=7.24	8.43			1
94	DPM000128	MT, IMED, \$MT, \$IMED	MBAC=8.43, NBAC1=8.55, NBAC2=8.50, MASL=9.15	8.43			1
95	DPM000225	OPTO, ISER, \$OPTO, \$ISER	MBAC=8.40, NBAC1=9.25, NBAC2=9.05, MASL=8.29	8.40			1
96	DPM000301	DIE, DI, \$DIE, \$DI	MBAC=8.38, NBAC1=9.20, NBAC2=8.60, MASL=9.47	8.38			1
97	DPM000454	ISER, \$ISER, IPMI, IMED, \$IMED	MBAC=8.38, NBAC1=8.90, NBAC2=8.45, MASL=8.10	8.38			1
98	DPM000114	MT, DIE, DI	MBAC=8.35, NBAC1=9.55, NBAC2=8.30, MASL=9.63	8.35			1
99	DPM000565	\$DI, \$IPMI	MBAC=8.28, NBAC1=9.00, NBAC2=8.70, MASL=7.62	8.28			1
100	DPM000277	\$OPTO, \$ISER, \$IMED, \$IPMI, \$DI, \$MT	MBAC=8.25, NBAC1=9.15, NBAC2=8.60, MASL=8.52	8.25			1
101	DPM000002	OPTO, IMED, \$OPTO	MBAC=8.23, NBAC1=9.00, NBAC2=7.95, MASL=9.79	8.23			1
102	DPM000110	OPTO, IMED, DI, IPMI	MBAC=8.23, NBAC1=8.75, NBAC2=8.45, MASL=8.99	8.23			1
103	DPM000295	MT, IMED, ISER, DIE, OPTO, DI, \$MT, \$IMED, IPMI	MBAC=8.21, NBAC1=9.55, NBAC2=8.20, MASL=8.69	8.21			1
104	DPM000087	ISER, MT, \$ISER, \$MT, \$IPMI	MBAC=8.18, NBAC1=8.40, NBAC2=8.15, MASL=8.67	8.18			1
105	DPM000127	IMED, \$IMED, ISER, \$ISER, MT	MBAC=8.15, NBAC1=8.85, NBAC2=8.40, MASL=9.02	8.15			1
106	DPM000461	IPMI, OPTO, IMED, ISER	MBAC=8.15, NBAC1=8.45, NBAC2=8.10, MASL=8.37	8.15			1
107	DPM000108	DI, \$DI, DIE, \$DIE	MBAC=8.13, NBAC1=8.70, NBAC2=8.40, MASL=9.37	8.13			1
108	DPM000427	ISER, \$ISER, IPMI, \$IPMI	MBAC=8.10, NBAC1=9.90, NBAC2=7.35, MASL=8.10	8.10			1
109	DPM000530	DI, \$DI, DIE, \$DIE, ISER, IPMI, \$ISER, \$IPMI	MBAC=8.10, NBAC1=9.35, NBAC2=8.85, MASL=9.57	8.10			1
110	DPM000228	MT, \$MT, DI, \$DI, IMED, \$IMED, OPTO, \$OPTO	MBAC=8.05, NBAC1=9.35, NBAC2=8.30, MASL=8.39	8.05			1
111	DPM000351	IMED, \$IMED, IPMI, \$IPMI	MBAC=8.05, NBAC1=9.05, NBAC2=8.00, MASL=8.58	8.05			1
112	DPM000123	IMED, \$IMED, \$OPTO, OPTO, \$IPMI, IPMI	MBAC=8.01, NBAC1=9.55, NBAC2=7.85, MASL=9.01	8.01			1
113	DPM000162	IMED, \$IMED, MT, \$MT, OPTO, \$OPTO	MBAC=7.98, NBAC1=8.45, NBAC2=7.95, MASL=9.71	7.98			1
114	DPM000384	\$DI	MBAC=7.93, NBAC1=9.05, NBAC2=8.85, MASL=9.16	7.93			1
115	DPM000325	ISER, \$ISER, IMED, \$IMED	MBAC=7.88, NBAC1=9.95, NBAC2=7.10, MASL=7.28	7.88			1
116	DPM209004	\$MT, MT, \$OPTO, OPTO	MBAC=7.86, NBAC1=8.05, NBAC2=8.05, MASL=9.10	7.86		DZ	1
117	DPM000300	DI, DIE, \$DI, \$DIE	MBAC=7.85, NBAC1=8.80, NBAC2=7.90, MASL=8.22	7.85			1
118	DPM000250	ISER, \$ISER, DIE, DI	MBAC=7.83, NBAC1=8.25, NBAC2=7.75, MASL=8.08	7.83			1
119	DPM000571	IPMI	MBAC=7.81, NBAC1=8.15, NBAC2=9.70, MASL=7.77	7.81			1
120	DPM000177	OPTO, \$OPTO, MT, \$MT, IMED, \$IMED, DI, \$DI, DIE, \$DIE, IPMI, \$IPMI, ISER, \$ISER	MBAC=7.80, NBAC1=8.50, NBAC2=8.20, MASL=8.84	7.80			1
121	DPM000286	\$IMED, IMED, \$IPMI, IPMI	MBAC=7.78, NBAC1=8.20, NBAC2=7.75, MASL=8.88	7.78			1
122	DPM000262	IMED, IPMI, DIE, OPTO, MT, ISER, DI	MBAC=7.75, NBAC1=8.20, NBAC2=7.95, MASL=8.89	7.75			1
123	DPM000190	DI, IPMI, \$DI, \$IPMI	MBAC=7.66, NBAC1=8.10, NBAC2=7.45, MASL=8.55	7.66			1
124	DPM000288	OPTO, \$OPTO, IMED, \$IMED	MBAC=7.65, NBAC1=8.05, NBAC2=7.60, MASL=8.90	7.65			1
125	DPM000371	ISER, \$ISER, DI, \$DI, IMED, \$IMED	MBAC=7.58, NBAC1=8.00, NBAC2=7.65, MASL=7.74	7.58			1
126	DPM000126	IPMI, ISER, DI, IMED, MT	MBAC=7.53, NBAC1=8.15, NBAC2=7.35, MASL=7.79	7.53			1
127	DPM000292	ISER, \$ISER	MBAC=7.45, NBAC1=9.15, NBAC2=7.10, MASL=9.28	7.45			1
128	DPM000058	ISER, \$ISER, IPMI	MBAC=7.43, NBAC1=7.70, NBAC2=7.65, MASL=9.59	7.43			1
129	DPM000233	IPMI, \$IPMI, ISER, \$ISER	MBAC=7.40, NBAC1=8.40, NBAC2=7.80, MASL=7.52	7.40			1
130	DPM000404	IPMI, ISER	MBAC=7.30, NBAC1=7.80, NBAC2=7.25, MASL=8.16	7.30			1
131	DPM209018	DI-MR, DI, IPMI-MR, MT-MR, MT, IMED-MR, IMED, ISER-MR, DIE, IPMI, OPTO-MR, ISER	MBAC=7.25, NBAC1=7.65, NBAC2=7.15, MASL=8.93	7.25		MR	1
132	DPM000348	ISER, \$ISER, DI, DIE, \$DIE, \$DI	MBAC=7.20, NBAC1=8.50, NBAC2=7.05, MASL=8.33	7.20			1
133	DPM000514	OPTO, \$OPTO	MBAC=7.20, NBAC1=7.80, NBAC2=7.60, MASL=8.56	7.20			1
134	DPM000521	OPTO, IMED, \$OPTO, \$IMED	MBAC=7.10, NBAC1=8.60, NBAC2=7.65, MASL=8.32	7.10			1
135	DPM000473	DI, DIE, \$DI, \$DIE	MBAC=7.06, NBAC1=7.75, NBAC2=7.15, MASL=7.95	7.06			1
136	DPM000146	IMED, \$IMED, \$MT, MT, \$DI, \$ISER	MBAC=7.00, NBAC1=7.00, NBAC2=7.00, MASL=7.00	7.00			1
137	DPM209019	\$DI, \$ISER, \$IMED, \$IPMI, \$OPTO, \$MT, \$DIE	MBAC=6.93, NBAC1=9.15, NBAC2=6.30, MASL=7.75	6.93		RX	1
138	DPM000582	MT, DI, \$MT, \$DI, OPTO, \$OPTO, ISER, \$ISER, IPMI, \$IPMI, IMED, \$IMED	MBAC=6.89, NBAC1=7.25, NBAC2=7.00, MASL=8.10	6.89			1
139	DPM000143	IPMI, ISER, DI, IMED, OPTO	MBAC=6.86, NBAC1=7.05, NBAC2=6.85, MASL=7.61	6.86			1
140	DPM000090	IPMI, DI, ISER, IMED	MBAC=6.83, NBAC1=7.90, NBAC2=7.10, MASL=8.15	6.83			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
141	DPM000251	IPMI, ISER, \$IPMI, \$ISER	MBAC=6.75, NBAC1=8.80, NBAC2=6.25, MASL=7.43	6.75			1
142	DPM000426	IMED, \$IMED, IPMI, \$IPMI, DI, ISER, \$ISER	MBAC=6.73, NBAC1=7.30, NBAC2=7.20, MASL=8.26	6.73			1
143	DPM000192	ISER, DI, \$ISER, \$DI	MBAC=6.70, NBAC1=7.25, NBAC2=6.55, MASL=8.60	6.70			1
144	DPM000201	DIE, \$DIE, DI, \$DI, IPMI, \$IPMI	MBAC=6.58, NBAC1=7.65, NBAC2=6.90, MASL=8.73	6.58			1
145	DPM000560	MT, \$MT, DIE, ISER, IPMI, DI, OPTO, IMED, \$DI, \$DIE, \$ISER, \$IPMI, \$IMED, \$OPTO	MBAC=6.53, NBAC1=7.40, NBAC2=6.80, MASL=7.92	6.53			1
146	DPM000267	\$IMED, IMED, OPTO, \$OPTO, \$ISER, ISER, IPMI, \$IPMI, \$MT, MT	MBAC=6.50, NBAC1=8.05, NBAC2=6.45, MASL=8.62	6.50			1
147	DPM000546	OPTO, \$OPTO, IPMI, ISER, \$IPMI, \$ISER, IMED, \$IMED	MBAC=6.50, NBAC1=7.70, NBAC2=6.80, MASL=8.43	6.50			1
148	DPM209017	\$DI, \$ISER	MBAC=6.50, NBAC1=7.00, NBAC2=7.00, MASL=6.67	6.50		RX	1
149	DPM000576	\$DI, \$IPMI	MBAC=6.46, NBAC1=6.90, NBAC2=6.55, MASL=0.00	6.46			1
150	DPM209003	DI, ISER-DZ, ISER, IPMI, IMED, OPTO, MT, \$DI, \$ISER, \$IMED, \$OPTO, \$MT	MBAC=6.43, NBAC1=6.65, NBAC2=6.55, MASL=8.57	6.43		DZ	1
151	DPM000465	OPTO, \$OPTO	MBAC=6.41, NBAC1=7.55, NBAC2=6.65, MASL=7.57	6.41			1
152	DPM000015	DI, DIE, \$DIE, \$DI, OPTO, \$OPTO, IMED, \$IMED, \$IPMI, IPMI, ISER, \$ISER, MT, \$MT	MBAC=6.38, NBAC1=6.55, NBAC2=6.40, MASL=8.69	6.38			1
153	DPM000256	IPMI, DI, ISER, OPTO, IMED	MBAC=6.35, NBAC1=8.65, NBAC2=5.20, MASL=8.44	6.35			1
154	DPM000344	\$IPMI, IPMI, DI, \$DI	MBAC=6.15, NBAC1=6.45, NBAC2=6.30, MASL=8.93	6.15			1
155	DPM209022	IMED-MR, IPMI-MR, DI-MR, OPTO-MR, ISER-MR, IMED, IPMI, DI, OPTO, ISER, \$IMED, \$IPMI, \$DI	MBAC=6.08, NBAC1=7.40, NBAC2=5.50, MASL=8.34	6.08		MR	1
156	DPM209015	IMED-MR, IMED, \$IMED, ISER, ISER-MR, DI-MR, DI, IPMI-MR, IPMI, OPTO-MR, OPTO, \$ISER, \$DI	MBAC=6.03, NBAC1=6.50, NBAC2=6.20, MASL=7.48	6.03		MR	1

PRESEDINTE COMISIE DE ADMITERE PE UNIVERSITATE,  
PROF.DR.ING. IOAN VASILE ABRUDAN

SECRETAR COMISIE DE ADMITERE PE UNIVERSITATE,  
PROF. DR. ING. MARIUS CRISTIAN LUCULESCU

PRESEDINTE COMISIE DE ADMITERE FACULTATE,  
PROF. DR. ING. CODRUȚA JALIU

SECRETAR COMISIE DE ADMITERE FACULTATE,  
PROF. DR. ING. DANIELA MARIANA BARBU