

TABEL NOMINAL CU CANDIDATII IN AȘTEPTARE

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
1	DPM000073	IMED,MT,IPMI,OPTO	MBAC=9.15,NBAC1=9.75,NBAC2=9.15,MASL=8.56	9.15			1
2	DPM000036	IMED,\$IMED	MBAC=9.15,NBAC1=9.30,NBAC2=9.10,MASL=9.41	9.15			1
3	DPM000050	IMED,\$IMED,DI,DIE,ISER,IPMI,MT,OPTO,\$DI,\$DIE,\$ISER,\$IPMI,\$MT,\$OPTO	MBAC=9.13,NBAC1=9.80,NBAC2=9.55,MASL=9.42	9.13			1
4	DPM000137	IMED,MT	MBAC=9.13,NBAC1=9.45,NBAC2=9.25,MASL=8.48	9.13			1
5	DPM000408	IMED,OPTO,\$IMED	MBAC=9.10,NBAC1=9.70,NBAC2=9.35,MASL=9.40	9.10			1
6	DPM000368	IMED,ISER,OPTO,\$IMED,\$ISER	MBAC=9.08,NBAC1=9.65,NBAC2=9.10,MASL=9.11	9.08			1
7	DPM000121	IMED,OPTO,MT,\$IMED,\$OPTO,\$MT	MBAC=9.06,NBAC1=9.25,NBAC2=9.05,MASL=9.47	9.06			1
8	DPM000054	IMED,DI,IPMI,ISER,OPTO,MT,\$IMED,\$DI,\$ISER	MBAC=9.03,NBAC1=9.15,NBAC2=9.10,MASL=8.62	9.03			1
9	DPM000387	IMED	MBAC=9.01,NBAC1=9.55,NBAC2=9.35,MASL=9.56	9.01			1
10	DPM000483	IMED,\$IMED,DI,ISER	MBAC=9.00,NBAC1=9.80,NBAC2=9.60,MASL=8.93	9.00			1
11	DPM000094	IMED,\$IMED,MT,OPTO,\$MT,\$OPTO	MBAC=9.00,NBAC1=9.75,NBAC2=9.75,MASL=9.29	9.00			1
12	DPM000271	IMED,\$IMED,DI,DIE,ISER,IPMI	MBAC=8.98,NBAC1=9.75,NBAC2=8.70,MASL=9.35	8.98			1
13	DPM209013	IMED,\$IMED,ISER,DI,\$IPMI	MBAC=8.98,NBAC1=9.30,NBAC2=8.90,MASL=9.58	8.98		DZ	1
14	DPM000458	IMED,ISER,\$IMED,IPMI,\$ISER,\$IPMI	MBAC=8.96,NBAC1=9.70,NBAC2=8.90,MASL=8.69	8.96			1
15	DPM000071	IMED,DI,OPTO,ISER,IPMI,MT,\$IMED,\$OPTO,\$DI,\$ISER	MBAC=8.95,NBAC1=9.05,NBAC2=8.95,MASL=9.68	8.95			1
16	DPM000062	IMED,MT,OPTO	MBAC=8.93,NBAC1=9.30,NBAC2=9.00,MASL=9.39	8.93			1
17	DPM000487	IMED,DIE,ISER	MBAC=8.90,NBAC1=9.40,NBAC2=8.80,MASL=8.92	8.90			1
18	DPM000142	IMED,\$IMED	MBAC=8.88,NBAC1=10.00,NBAC2=9.35,MASL=9.13	8.88			1
19	DPM000080	IMED,DIE,ISER,OPTO,IPMI,MT,DI	MBAC=8.83,NBAC1=9.85,NBAC2=9.65,MASL=9.37	8.83			1
20	DPM000134	IMED,OPTO,ISER,IPMI,MT	MBAC=8.78,NBAC1=9.25,NBAC2=8.75,MASL=9.58	8.78			1
21	DPM000513	IMED,DI,DIE,OPTO,ISER,MT,IPMI,\$IMED	MBAC=8.76,NBAC1=9.65,NBAC2=8.40,MASL=9.13	8.76			1
22	DPM000222	IMED,OPTO,\$IMED,\$OPTO,DI,\$DI	MBAC=8.75,NBAC1=9.20,NBAC2=8.60,MASL=9.65	8.75			1
23	DPM000442	IMED,OPTO,IPMI,\$IMED,\$OPTO,DI,\$IPMI,\$DI,ISER	MBAC=8.75,NBAC1=8.90,NBAC2=8.70,MASL=8.54	8.75			1
24	DPM000176	IMED,\$IMED,OPTO,\$OPTO	MBAC=8.73,NBAC1=9.05,NBAC2=8.90,MASL=9.50	8.73			1
25	DPM000213	IMED,\$IMED,OPTO,\$OPTO,MT,\$MT,DI,\$DI	MBAC=8.73,NBAC1=8.85,NBAC2=8.75,MASL=8.89	8.73			1
26	DPM000526	IMED,OPTO,MT,DI,IPMI,ISER,\$IMED,\$OPTO,\$MT,\$DI,\$ISER,\$IPMI,\$DIE,DIE	MBAC=8.70,NBAC1=9.10,NBAC2=8.65,MASL=9.72	8.70			1
27	DPM000104	IMED,\$IMED,OPTO,\$OPTO,MT,DI,ISER	MBAC=8.68,NBAC1=9.65,NBAC2=8.95,MASL=9.25	8.68			1
28	DPM000476	IMED,OPTO,DI,IPMI,\$IMED,\$DI,\$OPTO,\$IPMI	MBAC=8.65,NBAC1=9.40,NBAC2=9.20,MASL=9.02	8.65			1
29	DPM000567	IMED,\$IMED	MBAC=8.65,NBAC1=9.15,NBAC2=8.60,MASL=9.04	8.65			1
30	DPM000020	IMED,\$IMED,OPTO,\$OPTO	MBAC=8.63,NBAC1=9.50,NBAC2=8.55,MASL=9.30	8.63			1
31	DPM000196	IMED,\$IMED,DI,\$DI,\$IPMI,IPMI,ISER,\$ISER	MBAC=8.63,NBAC1=9.50,NBAC2=8.40,MASL=9.44	8.63			1
32	DPM000558	IMED,\$IMED,DI,IPMI,\$IPMI,\$ISER,\$OPTO,OPTO,MT,\$MT,\$DI,ISER	MBAC=8.63,NBAC1=9.15,NBAC2=9.10,MASL=9.17	8.63			1
33	DPM000264	IMED,OPTO,\$IMED,OPTO	MBAC=8.61,NBAC1=9.80,NBAC2=8.05,MASL=8.81	8.61			1
34	DPM000252	IMED,\$IMED,IPMI,ISER,\$ISER	MBAC=8.60,NBAC1=9.50,NBAC2=9.40,MASL=9.11	8.60			1
35	DPM000106	IMED,OPTO,\$IMED,\$OPTO	MBAC=8.60,NBAC1=8.75,NBAC2=8.55,MASL=9.18	8.60			1
36	DPM000056	IMED,ISER,OPTO	MBAC=8.58,NBAC1=8.70,NBAC2=8.60,MASL=9.27	8.58			1
37	DPM000217	IMED,\$IMED,OPTO,\$OPTO	MBAC=8.55,NBAC1=9.65,NBAC2=8.10,MASL=8.81	8.55			1
38	DPM000489	IMED,ISER,IPMI	MBAC=8.55,NBAC1=9.55,NBAC2=8.70,MASL=8.69	8.55			1
39	DPM000460	IMED,\$IMED,DI,IPMI,\$DI	MBAC=8.55,NBAC1=9.35,NBAC2=8.95,MASL=8.73	8.55			1
40	DPM000437	DI,DIE,IMED,\$DI,\$IMED,IPMI,ISER	MBAC=8.48,NBAC1=9.05,NBAC2=8.70,MASL=8.98	8.48			1
41	DPM000019	DI,\$DI,OPTO,\$OPTO	MBAC=8.48,NBAC1=9.00,NBAC2=8.45,MASL=9.01	8.48			1
42	DPM000105	IMED,\$IMED,OPTO,\$OPTO	MBAC=8.46,NBAC1=9.30,NBAC2=8.80,MASL=8.50	8.46			1
43	DPM000076	IMED,\$IMED,OPTO,\$OPTO	MBAC=8.46,NBAC1=8.75,NBAC2=8.70,MASL=9.30	8.46			1
44	DPM000518	IMED,OPTO,DIE,IPMI,ISER,MT,DI,\$IMED,\$OPTO,\$DIE,\$DI,\$MT,\$ISER,\$IPMI	MBAC=8.46,NBAC1=8.65,NBAC2=8.60,MASL=8.81	8.46			1
45	DPM000093	IMED,\$IMED,OPTO,\$OPTO	MBAC=8.45,NBAC1=9.35,NBAC2=8.35,MASL=8.80	8.45			1
46	DPM000505	IMED,\$IMED,OPTO,\$OPTO	MBAC=8.45,NBAC1=8.90,NBAC2=8.75,MASL=9.51	8.45			1
47	DPM000043	IMED,\$IMED,OPTO,\$OPTO,ISER,\$ISER,DI,\$DI	MBAC=8.41,NBAC1=9.30,NBAC2=9.10,MASL=7.92	8.41			1
48	DPM000543	IMED,\$IMED	MBAC=8.41,NBAC1=9.25,NBAC2=8.30,MASL=7.66	8.41			1
49	DPM000323	DI,ISER,IPMI	MBAC=8.41,NBAC1=9.15,NBAC2=8.10,MASL=9.62	8.41			1
50	DPM000173	DI,\$DI,ISER,MT,\$ISER,\$MT	MBAC=8.40,NBAC1=9.40,NBAC2=8.70,MASL=7.95	8.40			1
51	DPM000421	DI,DIE,ISER,MT	MBAC=8.36,NBAC1=8.50,NBAC2=8.30,MASL=8.72	8.36			1
52	DPM000534	IMED,DIE	MBAC=8.35,NBAC1=9.70,NBAC2=7.85,MASL=9.42	8.35			1
53	DPM000572	DI,\$DI,IMED,DIE,\$IMED	MBAC=8.33,NBAC1=9.80,NBAC2=8.50,MASL=8.05	8.33			1
54	DPM000359	IMED,OPTO,\$IMED,\$OPTO,DI,\$DI,IPMI,ISER,MT,\$ISER,\$IPMI,\$MT	MBAC=8.33,NBAC1=9.15,NBAC2=8.20,MASL=9.28	8.33			1
55	DPM000136	IMED,OPTO,MT,ISER,\$IMED,\$OPTO,\$MT,\$ISER	MBAC=8.31,NBAC1=9.40,NBAC2=8.20,MASL=9.35	8.31			1
56	DPM000069	IMED,ISER,\$IMED	MBAC=8.31,NBAC1=9.05,NBAC2=8.75,MASL=9.45	8.31			1
57	DPM000168	IMED,ISER,IPMI,OPTO,DI	MBAC=8.30,NBAC1=8.65,NBAC2=8.20,MASL=8.50	8.30			1
58	DPM000102	IMED,DI,DIE,\$IMED	MBAC=8.28,NBAC1=9.40,NBAC2=8.85,MASL=8.65	8.28			1
59	DPM000444	IMED,OPTO	MBAC=8.26,NBAC1=9.35,NBAC2=8.25,MASL=8.13	8.26			1
60	DPM000287	IMED,\$IMED,OPTO,\$OPTO	MBAC=8.26,NBAC1=9.00,NBAC2=8.50,MASL=8.35	8.26			1
61	DPM000498	IMED,\$IMED,MT,ISER,DIE,IPMI,DI,\$MT,\$ISER,\$DIE,\$IPMI,\$DI	MBAC=8.25,NBAC1=9.55,NBAC2=7.80,MASL=9.60	8.25			1
62	DPM000273	IMED,\$IMED,OPTO,\$OPTO	MBAC=8.25,NBAC1=8.80,NBAC2=8.40,MASL=8.93	8.25			1
63	DPM000244	IMED,DI,ISER,OPTO	MBAC=8.21,NBAC1=9.05,NBAC2=8.45,MASL=8.98	8.21			1
64	DPM000079	DI,ISER,IPMI,OPTO,IMED,\$DI,\$ISER,\$IPMI	MBAC=8.21,NBAC1=8.30,NBAC2=8.20,MASL=9.04	8.21			1
65	DPM000200	DI,DIE,IMED,\$IMED,ISER,OPTO,\$DI,IPMI	MBAC=8.20,NBAC1=8.60,NBAC2=8.35,MASL=9.44	8.20			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
66	DPM000469	IMED, ISER, IPMI	MBAC=8.18, NBAC1=9.35, NBAC2=8.75, MASL=8.99	8.18			1
67	DPM000231	DI, ISER, IPMI, \$DI	MBAC=8.18, NBAC1=8.95, NBAC2=8.20, MASL=8.69	8.18			1
68	DPM000528	IMED, OPTO, \$IMED, \$OPTO	MBAC=8.18, NBAC1=8.65, NBAC2=8.15, MASL=9.52	8.18			1
69	DPM000337	DI, ISER, IMED, OPTO, MT, IPMI, \$DI, \$ISER, \$IPMI, \$MT, \$IMED, \$OPTO	MBAC=8.18, NBAC1=8.50, NBAC2=8.50, MASL=8.30	8.18			1
70	DPM000397	IMED, OPTO, \$IMED, \$OPTO	MBAC=8.16, NBAC1=9.65, NBAC2=7.80, MASL=8.02	8.16			1
71	DPM000430	DI, \$DI	MBAC=8.16, NBAC1=9.35, NBAC2=8.50, MASL=9.16	8.16			1
72	DPM000411	DI, ISER, \$DI, MT, IPMI, OPTO	MBAC=8.15, NBAC1=8.60, NBAC2=8.15, MASL=8.26	8.15			1
73	DPM000310	IMED, OPTO, \$IMED, \$OPTO	MBAC=8.11, NBAC1=8.40, NBAC2=8.05, MASL=9.04	8.11			1
74	DPM000347	DI, \$DI, ISER, \$ISER	MBAC=8.08, NBAC1=9.00, NBAC2=7.70, MASL=9.60	8.08			1
75	DPM000157	IMED, \$IMED	MBAC=8.08, NBAC1=8.95, NBAC2=7.90, MASL=9.38	8.08			1
76	DPM000193	DI, ISER, MT, IMED, \$DI, \$ISER, \$MT, \$IMED	MBAC=8.08, NBAC1=8.65, NBAC2=8.40, MASL=8.95	8.08			1
77	DPM000198	IMED, \$IMED, OPTO, \$OPTO, MT, \$MT, ISER, \$ISER, IPMI, \$IPMI, DI, \$DI, DIE, \$DIE	MBAC=8.06, NBAC1=8.90, NBAC2=8.00, MASL=8.15	8.06			1
78	DPM000557	DI, OPTO, IMED, \$DI, \$IMED	MBAC=8.03, NBAC1=9.35, NBAC2=8.30, MASL=9.48	8.03			1
79	DPM000074	DI, DIE, ISER, OPTO, MT, IPMI, IMED, \$DI, \$DIE, \$ISER, \$OPTO, \$MT, \$IPMI, \$IMED	MBAC=7.98, NBAC1=8.85, NBAC2=8.40, MASL=9.14	7.98			1
80	DPM000113	IMED, \$IMED, ISER, \$ISER, IPMI, \$IPMI	MBAC=7.98, NBAC1=8.65, NBAC2=8.35, MASL=8.07	7.98			1
81	DPM000435	IMED, \$IMED, MT, OPTO, DI, IPMI	MBAC=7.95, NBAC1=9.15, NBAC2=7.35, MASL=9.13	7.95			1
82	DPM000352	OPTO, IMED, IPMI, \$OPTO, \$IMED	MBAC=7.95, NBAC1=8.65, NBAC2=8.15, MASL=9.11	7.95			1
83	DPM000490	DI, \$DI, ISER, IPMI, \$ISER, \$IPMI	MBAC=7.95, NBAC1=8.45, NBAC2=7.75, MASL=7.84	7.95			1
84	DPM000017	IMED, \$IMED, OPTO, \$OPTO, MT, \$MT, DI	MBAC=7.95, NBAC1=8.05, NBAC2=7.95, MASL=9.16	7.95			1
85	DPM000501	IMED, DI, IPMI, ISER, OPTO, MT	MBAC=7.93, NBAC1=8.70, NBAC2=7.80, MASL=8.44	7.93			1
86	DPM000061	IMED, \$IMED, OPTO, \$OPTO, MT, \$MT	MBAC=7.93, NBAC1=8.30, NBAC2=8.25, MASL=8.96	7.93			1
87	DPM000475	DI, IMED, ISER, IPMI, OPTO	MBAC=7.91, NBAC1=9.20, NBAC2=8.50, MASL=7.35	7.91			1
88	DPM000053	OPTO, IMED, ISER, IPMI, \$OPTO, \$IMED	MBAC=7.91, NBAC1=8.75, NBAC2=7.85, MASL=8.11	7.91			1
89	DPM000499	DI, ISER, IMED, IPMI, OPTO	MBAC=7.91, NBAC1=8.15, NBAC2=7.85, MASL=8.83	7.91			1
90	DPM000290	DI, \$DI, OPTO, \$OPTO	MBAC=7.91, NBAC1=8.10, NBAC2=7.85, MASL=8.46	7.91			1
91	DPM000349	OPTO, IMED	MBAC=7.90, NBAC1=8.30, NBAC2=8.15, MASL=9.60	7.90			1
92	DPM000431	IMED, \$IMED, DIE, DI, OPTO, MT, IPMI, \$OPTO, ISER, \$MT, \$DIE, \$DI, \$IPMI, \$ISER	MBAC=7.88, NBAC1=9.00, NBAC2=8.20, MASL=8.96	7.88			1
93	DPM000433	IMED, DI, DIE, IPMI, ISER, MT, OPTO, \$DI, \$DIE	MBAC=7.88, NBAC1=8.90, NBAC2=7.70, MASL=8.75	7.88			1
94	DPM000026	IMED, \$IMED, OPTO, \$OPTO, MT, \$MT, DI, \$DI, ISER, \$ISER, IPMI, \$IPMI	MBAC=7.88, NBAC1=8.70, NBAC2=7.85, MASL=9.44	7.88			1
95	DPM000261	IMED, \$IMED, IPMI, ISER, \$IPMI, \$ISER, DI, \$DI, OPTO, \$OPTO	MBAC=7.88, NBAC1=8.60, NBAC2=8.20, MASL=7.85	7.88			1
96	DPM000452	DI, IMED, OPTO, MT, ISER, IPMI	MBAC=7.88, NBAC1=8.60, NBAC2=7.90, MASL=9.58	7.88			1
97	DPM000199	DI, DIE, IPMI	MBAC=7.88, NBAC1=8.60, NBAC2=7.55, MASL=9.66	7.88			1
98	DPM000455	IMED, \$IMED, ISER, DI, \$DI, IPMI, MT, \$MT, \$IPMI, \$DIE, \$ISER, OPTO, \$OPTO, DIE	MBAC=7.86, NBAC1=9.25, NBAC2=7.85, MASL=9.14	7.86			1
99	DPM000091	IMED, \$IMED, OPTO, \$OPTO, DI, \$DI, DIE, \$DIE	MBAC=7.86, NBAC1=8.60, NBAC2=7.75, MASL=8.62	7.86			1
100	DPM000051	IMED, OPTO, ISER, \$IMED	MBAC=7.85, NBAC1=8.45, NBAC2=7.90, MASL=9.08	7.85			1
101	DPM000424	IMED, \$IMED, MT, \$MT	MBAC=7.81, NBAC1=9.45, NBAC2=7.75, MASL=9.11	7.81			1
102	DPM000552	ISER, IMED, MT, \$IMED, \$ISER, \$MT	MBAC=7.81, NBAC1=9.15, NBAC2=7.25, MASL=9.30	7.81			1
103	DPM000428	ISER, IMED	MBAC=7.81, NBAC1=8.65, NBAC2=8.35, MASL=8.07	7.81			1
104	DPM000379	DI, ISER, IMED, IPMI, \$DI, \$IMED, OPTO, MT, \$ISER, \$IPMI, \$OPTO, \$MT	MBAC=7.80, NBAC1=8.30, NBAC2=7.60, MASL=8.79	7.80			1
105	DPM000103	IMED, ISER, \$IMED, \$ISER	MBAC=7.73, NBAC1=8.45, NBAC2=7.80, MASL=8.34	7.73			1
106	DPM000313	DI, MT, \$DI, \$MT, IMED, ISER, \$ISER	MBAC=7.73, NBAC1=8.30, NBAC2=7.95, MASL=8.88	7.73			1
107	DPM000232	IMED, OPTO, \$IMED, \$OPTO, IPMI, ISER, \$IPMI	MBAC=7.70, NBAC1=8.55, NBAC2=7.55, MASL=8.80	7.70			1
108	DPM000418	IMED, DI, ISER, IPMI, MT, OPTO, \$DI, \$ISER, \$IMED, \$MT, \$IPMI, \$OPTO	MBAC=7.68, NBAC1=9.10, NBAC2=7.65, MASL=7.81	7.68			1
109	DPM000159	IMED, \$IMED, OPTO, \$OPTO, DI, IPMI, ISER, MT, \$ISER, \$DIE, \$DI, DIE, \$MT, \$IPMI	MBAC=7.68, NBAC1=8.40, NBAC2=7.40, MASL=9.34	7.68			1
110	DPM000389	OPTO, IMED, DI	MBAC=7.68, NBAC1=8.15, NBAC2=7.70, MASL=9.41	7.68			1
111	DPM000578	ISER, DI	MBAC=7.68, NBAC1=8.10, NBAC2=7.90, MASL=8.30	7.68			1
112	DPM000332	DI, DIE, IPMI, ISER, IMED, OPTO, MT	MBAC=7.66, NBAC1=8.80, NBAC2=7.60, MASL=8.69	7.66			1
113	DPM000055	ISER, IMED, OPTO, MT	MBAC=7.66, NBAC1=8.70, NBAC2=7.60, MASL=8.40	7.66			1
114	DPM000436	IMED, \$IMED, IPMI, ISER, DI, MT, OPTO	MBAC=7.66, NBAC1=8.35, NBAC2=7.90, MASL=8.95	7.66			1
115	DPM000370	ISER, IMED, IPMI	MBAC=7.65, NBAC1=8.00, NBAC2=7.50, MASL=8.41	7.65			1
116	DPM000491	IMED, OPTO, DI, MT, ISER, IPMI, \$IMED, \$OPTO, \$DI, \$MT, \$ISER, \$IPMI	MBAC=7.61, NBAC1=8.10, NBAC2=7.90, MASL=8.39	7.61			1
117	DPM000161	DI, MT, IMED	MBAC=7.58, NBAC1=8.85, NBAC2=7.35, MASL=8.30	7.58			1
118	DPM000423	DI, \$DI, IMED, OPTO	MBAC=7.56, NBAC1=8.85, NBAC2=7.65, MASL=8.67	7.56			1
119	DPM000049	DI, ISER, IPMI, MT, IMED, OPTO, \$DI, \$ISER, \$IPMI, \$MT, \$IMED, \$OPTO	MBAC=7.56, NBAC1=8.40, NBAC2=7.70, MASL=9.35	7.56			1
120	DPM000186	ISER, DI, IPMI, OPTO, IMED	MBAC=7.53, NBAC1=8.40, NBAC2=7.70, MASL=8.97	7.53			1
121	DPM000574	IMED, OPTO, ISER, \$IMED, \$OPTO, \$ISER	MBAC=7.53, NBAC1=8.35, NBAC2=7.35, MASL=9.08	7.53			1
122	DPM209005	DI, \$DI, OPTO, \$OPTO, IPMI, ISER	MBAC=7.51, NBAC1=7.95, NBAC2=7.65, MASL=8.98	7.51		DZ	1
123	DPM000466	DI, \$DI, IMED, MT, ISER, IPMI, OPTO, \$IPMI, \$MT, \$ISER, \$IMED, \$OPTO	MBAC=7.50, NBAC1=8.20, NBAC2=7.20, MASL=8.33	7.50			1
124	DPM000422	OPTO	MBAC=7.50, NBAC1=8.15, NBAC2=7.35, MASL=9.24	7.50			1
125	DPM000468	IMED, OPTO, MT, DI, DIE, ISER, IPMI	MBAC=7.50, NBAC1=7.80, NBAC2=7.55, MASL=9.47	7.50			1
126	DPM000590	DI	MBAC=7.50, NBAC1=7.00, NBAC2=7.00, MASL=7.99	7.50			1
127	DPM000171	IMED, OPTO, \$IMED, \$OPTO	MBAC=7.48, NBAC1=8.35, NBAC2=7.65, MASL=9.18	7.48			1
128	DPM000081	IMED, OPTO, DI, \$IMED, \$OPTO, \$DI	MBAC=7.46, NBAC1=8.60, NBAC2=7.65, MASL=8.96	7.46			1
129	DPM000027	IMED, \$IMED, OPTO, \$OPTO, ISER, \$ISER, DI, \$DI	MBAC=7.46, NBAC1=8.45, NBAC2=7.55, MASL=8.66	7.46			1
130	DPM209002	DI, IMED, \$DI, \$IMED, ISER-DZ, ISER, IPMI, OPTO, MT	MBAC=7.43, NBAC1=8.80, NBAC2=7.05, MASL=6.61	7.43		DZ	1
131	DPM000497	IMED, \$IMED, DI, \$DI, MT, \$MT, OPTO, \$OPTO, \$IPMI, IPMI, \$ISER, ISER	MBAC=7.41, NBAC1=8.20, NBAC2=8.15, MASL=9.29	7.41			1
132	DPM000044	OPTO, DI, IPMI, ISER	MBAC=7.41, NBAC1=8.10, NBAC2=7.55, MASL=8.41	7.41			1
133	DPM000272	DI, IPMI, DIE, IMED, ISER, MT, OPTO	MBAC=7.40, NBAC1=8.60, NBAC2=8.60, MASL=8.40	7.40			1
134	DPM000410	IMED, OPTO, DI, ISER, IPMI, MT, \$IMED, \$OPTO, \$ISER, \$IPMI, \$DI, \$MT	MBAC=7.40, NBAC1=7.50, NBAC2=7.40, MASL=8.09	7.40			1
135	DPM000138	DI, ISER, IPMI, IMED, MT, OPTO, \$IPMI, \$OPTO, \$IMED, \$MT, \$ISER, \$DI	MBAC=7.38, NBAC1=8.40, NBAC2=7.70, MASL=8.67	7.38			1
136	DPM000291	DI, ISER, MT, IMED, OPTO, IPMI	MBAC=7.36, NBAC1=8.50, NBAC2=7.75, MASL=7.36	7.36			1
137	DPM000312	IMED, \$IMED, DI, \$DI	MBAC=7.35, NBAC1=8.05, NBAC2=8.00, MASL=8.58	7.35			1
138	DPM000119	IMED, ISER, IPMI, DI, \$IMED, \$ISER, \$IPMI, \$DI	MBAC=7.31, NBAC1=8.10, NBAC2=7.50, MASL=8.03	7.31			1
139	DPM000419	DI, IMED, OPTO	MBAC=7.31, NBAC1=7.55, NBAC2=7.50, MASL=7.51	7.31			1
140	DPM000083	IMED, OPTO, \$IMED, \$OPTO	MBAC=7.30, NBAC1=7.65, NBAC2=7.30, MASL=7.89	7.30			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
141	DPM000150	IMED, \$IMED, MT, \$MT, ISER, \$ISER, IPMI, \$IPMI	MBAC=7.26, NBAC1=8.30, NBAC2=7.05, MASL=9.13	7.26			1
142	DPM000307	DI, IPMI, IMED, ISER, MT, OPTO	MBAC=7.26, NBAC1=7.65, NBAC2=7.30, MASL=7.80	7.26			1
143	DPM000086	DI, \$DI, MT, OPTO, ISER	MBAC=7.25, NBAC1=8.00, NBAC2=7.35, MASL=8.61	7.25			1
144	DPM000515	DI, ISER, IPMI, \$ISER, \$IPMI, \$DI	MBAC=7.23, NBAC1=8.25, NBAC2=7.10, MASL=8.21	7.23			1
145	DPM000309	DI, DIE, IMED, MT, OPTO, \$DI, \$IMED, \$DIE, \$MT, \$OPTO	MBAC=7.21, NBAC1=9.30, NBAC2=6.80, MASL=8.42	7.21			1
146	DPM000156	IMED, \$IMED, ISER, \$ISER, OPTO, \$OPTO	MBAC=7.21, NBAC1=8.85, NBAC2=7.15, MASL=8.52	7.21			1
147	DPM000149	DI, \$DI, IMED, \$IMED, IPMI, \$IPMI, ISER, OPTO, \$OPTO, \$ISER, MT, \$MT	MBAC=7.21, NBAC1=8.05, NBAC2=7.30, MASL=7.55	7.21			1
148	DPM000194	DI, \$DI	MBAC=7.21, NBAC1=7.70, NBAC2=7.25, MASL=8.97	7.21			1
149	DPM000417	IMED, ISER, IPMI, DI, OPTO, \$ISER, \$IMED	MBAC=7.18, NBAC1=9.75, NBAC2=6.75, MASL=8.97	7.18			1
150	DPM000169	IMED, ISER, \$IMED, MT, IPMI, OPTO	MBAC=7.18, NBAC1=8.25, NBAC2=7.05, MASL=9.31	7.18			1
151	DPM000542	IMED, \$IMED, OPTO	MBAC=7.16, NBAC1=9.10, NBAC2=7.05, MASL=8.38	7.16			1
152	DPM000018	IMED, \$IMED, OPTO, \$OPTO, DI, \$DI	MBAC=7.15, NBAC1=8.95, NBAC2=6.55, MASL=7.89	7.15			1
153	DPM000463	MT, OPTO, IMED, \$MT	MBAC=7.15, NBAC1=8.30, NBAC2=7.20, MASL=8.79	7.15			1
154	DPM000279	IMED, OPTO, \$IMED, \$OPTO	MBAC=7.13, NBAC1=7.95, NBAC2=7.05, MASL=8.56	7.13			1
155	DPM000391	OPTO, DI, IPMI, ISER, IMED	MBAC=7.11, NBAC1=8.70, NBAC2=7.00, MASL=7.41	7.11			1
156	DPM000573	IMED, DI	MBAC=7.10, NBAC1=9.50, NBAC2=6.00, MASL=7.03	7.10			1
157	DPM000548	DI, ISER, IPMI, MT, IMED, OPTO, \$DI	MBAC=7.08, NBAC1=8.65, NBAC2=7.20, MASL=8.02	7.08			1
158	DPM000117	DI, MT, IPMI, ISER, OPTO, IMED	MBAC=7.08, NBAC1=8.55, NBAC2=6.35, MASL=8.14	7.08			1
159	DPM000566	OPTO, IMED, DIE	MBAC=7.06, NBAC1=8.35, NBAC2=6.95, MASL=8.63	7.06			1
160	DPM000358	IMED, \$IMED, OPTO, \$OPTO, ISER, \$ISER, DI, \$DI, DIE, \$DIE, MT, \$MT, IPMI, \$IPMI	MBAC=7.06, NBAC1=7.55, NBAC2=7.10, MASL=8.32	7.06			1
161	DPM000211	MT, IPMI, IMED, \$MT, \$IPMI, \$IMED	MBAC=7.06, NBAC1=7.50, NBAC2=7.20, MASL=8.63	7.06			1
162	DPM000188	IMED, OPTO, DI, DIE	MBAC=7.05, NBAC1=7.95, NBAC2=6.70, MASL=8.21	7.05			1
163	DPM000131	IMED, \$IMED, MT, \$MT, IPMI, \$ISER, ISER, \$IPMI	MBAC=7.03, NBAC1=7.55, NBAC2=7.25, MASL=8.27	7.03			1
164	DPM000533	MT, DI, IMED	MBAC=7.01, NBAC1=8.10, NBAC2=7.10, MASL=9.06	7.01			1
165	DPM000281	MT, DI, IMED, ISER, IPMI, OPTO, \$MT, \$DI, \$IMED, \$ISER, \$IPMI, \$OPTO	MBAC=6.98, NBAC1=8.90, NBAC2=6.40, MASL=9.58	6.98			1
166	DPM000531	MT, ISER, IPMI, \$MT	MBAC=6.98, NBAC1=8.55, NBAC2=7.40, MASL=7.34	6.98			1
167	DPM000259	ISER, IMED, OPTO, \$ISER, \$IMED, \$OPTO	MBAC=6.98, NBAC1=7.25, NBAC2=7.25, MASL=7.39	6.98			1
168	DPM000453	MT, IMED, DI, \$MT, \$IMED, \$DI, OPTO, \$OPTO, DIE, \$DIE	MBAC=6.93, NBAC1=7.55, NBAC2=7.05, MASL=8.41	6.93			1
169	DPM000581	IMED, \$IMED, MT, \$MT	MBAC=6.93, NBAC1=7.50, NBAC2=7.20, MASL=8.40	6.93			1
170	DPM000160	DI, IPMI, IMED, ISER, DIE, OPTO, MT, \$DI, \$IPMI, \$IMED, \$DIE, \$OPTO, \$MT, \$ISER	MBAC=6.91, NBAC1=7.30, NBAC2=7.15, MASL=9.14	6.91			1
171	DPM000488	DI, ISER, IPMI, MT, OPTO, IMED, \$DI, \$ISER, \$IPMI, \$MT, \$OPTO, \$IMED	MBAC=6.85, NBAC1=8.95, NBAC2=5.85, MASL=7.73	6.85			1
172	DPM000559	OPTO, IMED, ISER	MBAC=6.81, NBAC1=7.70, NBAC2=7.30, MASL=9.54	6.81			1
173	DPM000579	DI	MBAC=6.80, NBAC1=7.65, NBAC2=6.70, MASL=7.73	6.80			1
174	DPM000133	DI, \$DI, ISER, \$ISER, IPMI, \$IPMI, MT, \$MT, IMED, \$IMED, OPTO, \$OPTO	MBAC=6.78, NBAC1=9.05, NBAC2=6.30, MASL=7.06	6.78			1
175	DPM000471	IMED, OPTO, \$IMED, \$OPTO	MBAC=6.77, NBAC1=7.40, NBAC2=7.20, MASL=8.15	6.77			1
176	DPM000532	ISER, IPMI, DIE, \$ISER	MBAC=6.75, NBAC1=7.70, NBAC2=7.30, MASL=8.76	6.75			1
177	DPM000555	DI, ISER, DIE, \$DI, \$ISER, \$DIE	MBAC=6.73, NBAC1=7.35, NBAC2=7.00, MASL=9.15	6.73			1
178	DPM000319	\$DI	MBAC=6.70, NBAC1=6.75, NBAC2=6.70, MASL=7.42	6.70			1
179	DPM000517	IMED, \$IMED, OPTO, DI	MBAC=6.65, NBAC1=6.80, NBAC2=6.30, MASL=7.60	6.65			1
180	DPM000372	IMED, OPTO, MT, DI, ISER, IPMI, \$IMED, \$OPTO, \$DI, \$MT, \$ISER, \$IPMI	MBAC=6.60, NBAC1=8.20, NBAC2=6.05, MASL=7.80	6.60			1
181	DPM000554	MT, DI, IPMI, ISER	MBAC=6.58, NBAC1=8.10, NBAC2=6.15, MASL=8.09	6.58			1
182	DPM000378	ISER, IPMI, DI, \$ISER, \$IPMI, \$DI	MBAC=6.58, NBAC1=7.45, NBAC2=6.30, MASL=8.48	6.58			1
183	DPM000516	IMED, IPMI, ISER, OPTO, \$IMED, \$IPMI, \$ISER, \$OPTO	MBAC=6.58, NBAC1=7.40, NBAC2=6.45, MASL=9.19	6.58			1
184	DPM000107	MT, ISER, IMED, IPMI, DI, OPTO	MBAC=6.51, NBAC1=6.70, NBAC2=6.65, MASL=8.09	6.51			1
185	DPM000140	ISER, MT, IMED, DI, DIE, \$ISER, \$MT, \$IMED, \$DI, \$DIE	MBAC=6.50, NBAC1=7.10, NBAC2=6.80, MASL=7.99	6.50			1
186	DPM000477	OPTO, DI, ISER, MT, IPMI, IMED	MBAC=6.48, NBAC1=7.10, NBAC2=6.45, MASL=8.68	6.48			1
187	DPM000274	DI, OPTO, IPMI, ISER, IMED, MT, \$DI, \$OPTO, \$IPMI, \$ISER, \$IMED, \$MT	MBAC=6.48, NBAC1=6.90, NBAC2=6.65, MASL=8.37	6.48			1
188	DPM209009	OPTO, DI, ISER-DZ, IPMI	MBAC=6.45, NBAC1=7.50, NBAC2=6.55, MASL=8.37	6.45		DZ	1
189	DPM000092	OPTO, IMED, DI, IPMI, \$OPTO	MBAC=6.43, NBAC1=6.90, NBAC2=6.30, MASL=8.08	6.43			1
190	DPM209016	IMED, IMED-MR, OPTO-MR, OPTO, IPMI, DI, DI-MR, ISER	MBAC=6.36, NBAC1=6.95, NBAC2=6.55, MASL=9.06	6.36		MR	1
191	DPM000329	IMED, MT, \$IMED, \$MT, ISER, \$ISER	MBAC=6.35, NBAC1=7.00, NBAC2=6.35, MASL=8.17	6.35			1
192	DPM000456	DI, \$DI, IPMI, \$IPMI, ISER, \$ISER	MBAC=6.26, NBAC1=7.80, NBAC2=6.00, MASL=8.72	6.26			1
193	DPM000109	MT, IMED, IPMI, \$MT, \$IMED, \$IPMI	MBAC=6.23, NBAC1=7.20, NBAC2=6.15, MASL=8.40	6.23			1
194	DPM209024	DI-MR, DI, IMED-MR, OPTO-MR, IMED, OPTO, IPMI, ISER, ISER-MR, \$DI, \$IMED, ISER-DZ	MBAC=6.21, NBAC1=7.05, NBAC2=6.60, MASL=6.73	6.21		DZ, MR	1
195	DPM000494	IMED, \$IMED, OPTO, \$OPTO, ISER, \$ISER	MBAC=6.20, NBAC1=7.55, NBAC2=6.05, MASL=7.09	6.20			1
196	DPM209014	OPTO-MR, IMED-MR, IPMI-MR, DI-MR, OPTO, \$OPTO, IPMI, \$IPMI, DI, \$DI	MBAC=6.16, NBAC1=7.15, NBAC2=6.15, MASL=8.93	6.16		MR	1
197	DPM000284	DI, MT, ISER, \$DI, \$MT, \$ISER	MBAC=6.13, NBAC1=7.90, NBAC2=5.35, MASL=8.08	6.13			1
198	DPM000155	MT, IPMI, OPTO, IMED, ISER, DI	MBAC=6.11, NBAC1=6.85, NBAC2=6.45, MASL=8.36	6.11			1
199	DPM000330	DI, IMED, ISER, IPMI, \$DI, \$IMED, \$ISER, \$IPMI	MBAC=6.10, NBAC1=6.65, NBAC2=6.60, MASL=8.75	6.10			1
200	DPM000569	DI, IPMI, ISER, IMED, MT, OPTO, \$DI, \$IPMI	MBAC=6.08, NBAC1=6.40, NBAC2=6.30, MASL=9.31	6.08			1
201	DPM000445	\$DI, DI	MBAC=6.05, NBAC1=7.05, NBAC2=6.10, MASL=8.22	6.05			1
202	DPM000415	MT, IMED, ISER, OPTO, DI	MBAC=6.03, NBAC1=7.35, NBAC2=5.55, MASL=8.65	6.03			1
203	DPM000577	IMED, ISER, \$IMED, \$ISER	MBAC=6.01, NBAC1=7.55, NBAC2=5.40, MASL=7.70	6.01			1

PRESEDINTE COMISIE DE ADMITERE PE UNIVERSITATE,  
PROF.DR.ING. IOAN VASILE ABRUDAN

SECRETAR COMISIE DE ADMITERE PE UNIVERSITATE,  
PROF. DR. ING. MARIUS CRISTIAN LUCULESCU

PRESEDINTE COMISIE DE ADMITERE FACULTATE,  
PROF. DR. ING. CODRUȚA JALIU

SECRETAR COMISIE DE ADMITERE FACULTATE,  
PROF. DR. ING. DANIELA MARIANA BARBU